

BRINGING NEW LIGHT TO INTERIOR ARCHITECTURE



 FRAMEWORKS

ASSA ABLOY

EXPANSIVE NEW LIGHT

Frameworks brings new light to interior architecture with doors, frames and windows that pair custom and standard glazing options with an expansive range of aluminum frame design options to give you the flexibility to create distinctive interiors.

Featuring smart modular design, snap-on trim, recessed glazing pockets and concealed fasteners – you will find that great design is in the details. Whatever your vision – angled, segmented or radiused – Frameworks can create it for new construction or retrofit.

QUALITY CRAFTSMANSHIP

Frameworks delivers well thought out custom solutions, quality-crafted to your specifications. Project components are precut and packaged by opening to streamline installation, prevent installer error, and save time.

DESIGNER'S ARRAY OF FINISHES

Choose from:

Anodized finish options:

- Class II Clear
- Custom finishes in Bronze (light, medium and dark), Black and Champagne

Electrostatically-applied paint finishes available in:

- Our standard selection of bronze, black, grey, and white, or
- Custom matched paint finishes

EXCEPTIONAL SERVICE & FOLLOW THROUGH

Renowned for exceptional customer service and follow through, Frameworks' short lead times make it the confident choice for fast-track and tenant fit-out projects.



DEFINING THE LIGHT WITHIN

FOR NEW CONSTRUCTION & RETROFIT

- Class A Office Buildings
- Commercial Facilities
- College and University Campuses
- K-12 Buildings
- Healthcare Facilities
- Government & Military Structures

FOR LEED CERTIFIED & SUSTAINABLE PROJECTS

Frameworks' products are LEED contributing and made of aluminum – a recycled and readily recyclable material; they are manufactured in the USA and are lightweight to ship. The use of Frameworks frames, windows and doors allows for shared light that creates healthy and happy work environments.

FRAMEWORKS FRAMES, WINDOWS & DOORS

FRAMES

Frameworks frames are manufactured to integrate into standard drywall partitions but can be adapted to accommodate varying wall conditions. We expertly engineer angled, segmented and radiused frame configurations to any specification.

Choose standard or custom anodized finishes, or electrostatically applied painted finishes. Frames can arrive precisely pre-cut and individually packaged by opening for smart installation.





DOORS

From swinging doors to sliding/barn and pocket doors, Frameworks doors are assembled and packaged at the factory, complete with the frame and accommodations for any special hardware preparation, making installation easier on site.

Doors are available in narrow ($2 \frac{1}{8}$ "), medium ($4 \frac{1}{4}$ "), and wide stiles ($5 \frac{1}{2}$ ").



WINDOWS

Frameworks produces quality sidelights, transoms, borrowed lights and clerestories, with a wide array of glazing and finish options.

For more information on Frameworks go to www.frameworks.com.

To find a Frameworks sales representative in your area, go to www.assaabloydss.com and click on Sales Support. There you will find contact information for your local ASSA ABLOY Door Security Solutions professional.




TWO FRAME SYSTEMS TO CHOOSE FROM

TYPE II FRAME SYSTEM

Type II Frame System is a modular system that was developed for greater versatility and strength, and easier installation. It features snap-on trim that conceals the fasteners and provides clean design lines. Type II Framing is installed after the walls are finished and painted, which exempts it from critical path scheduling and makes it the ideal choice for design build or fast-track fit-out projects.


Type II System accommodates 1/4", 3/8" and 1/2" glazing.



TYPE II FRAME SYSTEM

TYPE I FRAME SYSTEM

Type I Frame System – the original frame system in the industry – screws into the sheetrock and requires taping and floating to finish. Type I System accommodates 1/4" and 3/8" glazing.



TYPE I FRAME SYSTEM

FRAME SYSTEM COMPARISON

	TYPE II FRAME SYSTEM				TYPE I FRAME SYSTEM		
Design	Rectilinear				Rectilinear		
Face Profile	1 1/2"				1 1/2"		
Return	9/32"						
Snap-on Trim	1 1/4" 1 1/2" 2"						
Wall Thickness	.070"				.070		
Throat Sizes	3 1/2" 3 3/4" 4 5/8" 4 7/8" 5 1/4" 5 1/2" 6 1/8" 7 1/4"				3 3/4" 4 7/8"		
FIRE RATINGS	RATING	MIN THROAT	MAX SIZE	RATING	MIN THROAT	MAX SIZE	
Door Frame	20 Min*	3 1/2"	3090 (WHI-495-0817) 6090 (WHI-495-0894)	20 Min*	3 3/4"	3090 (WHI-495-0817) 6090 (WHI-495-0823)	
	45 Min	3 1/2"	3090 (WHI-495-0965) 6090 (WHI-495-0965)				
	90 Min	2 7/8"	3090 (WHI-495-1424) 6090 (WHI-495-1424)				
Door Frame with Sidelight	20 Min	3 1/2"	3090 DF (WHI-495-0893) 6090 SL (WHI-495-0893)	20 Min	3 3/4"	3090 DF (WHI-495-0963) 2090 SL (WHI-495-0963)	
Borrowed Light	20 Min	3 1/2"	3090 (WHI-495-0964) 6090 (WHI-495-0964)	20 Min	3 3/4"	5050 (WHI-495-0964) 4090 (WHI-495-0964)	

* Positive and negative pressure

NOTE: 20 and 45 minute ratings can be achieved with fixed throat sizes. 90 minute rating can be achieved with fixed or adjustable throat sizes 2 7/8" to 7 1/8".



For more information
scan the QR code
below or go to
www.frameworks.com



ASSA ABLOY, the global leader
in door opening solutions

Frameworks
4800 West Greens Road | Suite 200 | Houston, TX 77066
Toll Free: 877-278-5222 | Phone: 713-692-5222 | Fax: 713-692-1391
Web: www.frameworks.com | Email: info@frameworks.com

Copyright © 2012 AADG, Inc. an ASSA ABLOY Group company.
All rights reserved. Reproduction in whole or part without
the express written permission of AADG, Inc. is prohibited.

FR01-07/12